

EXACT COSTS
EXACT RESULTS



➤ go2cps.com



CPS
Concrete Polishing Solutions



SUSHI



Save from
\$4.78/lb

Save from
50¢/lb

Save from
50¢/lb

Save from
78¢

The XACT Polished Concrete Floor System

It's not just another polished concrete floor system.

The XACT Polished Concrete Floor System is the first flooring system designed to help you control and calculate your exact material and labor costs so you save time and earn more with successful, profitable bids and a scope of work that produces the exact high-quality results every time.

The XACT Polished Concrete Floor System specifies advanced tooling and concrete chemicals that are the fastest on the market to cost-effectively provide an enduring stain and abrasion resistant polished concrete floor. Unlike other flooring systems, the XACT Floor has a bidding calculator for contractors to help you assess your exact tooling and labor expenses. By controlling those costs, contractors can focus on profitably and bid successfully.

Plus, our polished concrete floor system warranty will ensure that owners and architects trust the XACT Floor.



XACT COSTS

The XACT Polished Concrete Floor Calculator allows contractors to estimate the exact material and labor costs of a job so bids are more accurate and more profitable.



XACT RESULTS


The scope of work specified in the XACT Polished Concrete Floor System is proven to result in a durable, stain-resistant polished concrete surface with the exact depth of shine desired.



XACT WARRANTY


The XACT Polished Concrete Floor System is backed by a five (5) year warranty to guarantee the surface will remain hardened, dust proof and water-repellant.

The XACT Polished Concrete Floor System



GRIND

Complete the initial cut with CPS 40 grit Black Line Metal Bond Diamonds to remove coatings and any existing curing compounds or other contaminants. Prepare the concrete for further honing after removing adequate concrete surface for the desired aggregate exposure.



HONE

Hone the concrete surface using the CPS Mach Tools, a hybrid blended resin diamond tool that cuts like a metal with an exceptional life of up to 7,500 sq. ft. Apply CPS Armor Grout to the surface to fill concrete surface imperfections, then continue to hone the floor with the Mach Tools.



HARDEN

Apply CPS Armor Densifier to the surface of the concrete which will increase the surface hardness and abrasion resistance of the floor. The densifier will penetrate into the floor's surface to eliminate dusting and prepare the concrete for polishing.

Become an XACT Polished Concrete Floor Installer

Interested in becoming an XACT Polished Concrete Floor Certified Installer and gaining access to exclusive bid opportunities? Contact CPS or visit www.go2cps.com to register for XACT Polished Concrete Floor Certification. The training curriculum reviews the scope of work for developing the XACT Floor, successful bidding techniques, as well as troubleshooting common causes of floor failures and how to prevent them.

Download specs and sign up for the XACT Calculator at www.go2cps.com




XACT Know your exact costs with the CPS XACT Bid Calculator

PROJECT DETAILS:

A) Total Square Footage	20,000
B) Avg. Sq Ft/Hr	200
C) Machine Hours	100 (A) divided by (B)
D) Total Grind and Polish Hours	200 (C) multiplied by 2
F) Diameter (i.e. breaks, etc.)	200 (D) times (E) (2)
F) Total Labor Hours	400 (D) plus (D)
G) Machine Operator Wage - hourly	\$20.00
H) Total Labor Cost	\$8,000.00 (F) multiplied by (G)

(B) SCOPE OF WORK (Check & Calculate Applicable Steps)

Step	Product List	Select Product	Amount Needed	Product Cost
Grinding (Select only the steps you will be performing)	Black Line Meta 18 Grit			
	Black Line Meta 40 Grit	Black Line Metal 40 Grit	27	\$475.00
	Black Line Meta 80 Grit			



POLISH

Polish the surface with the CPS Sektor tools, an extremely fast polishing that polishes up to 60 sq. ft. per minute. These polishing tools reduce labor costs for any type of floor yet yield an average gloss meter reading of above 80.



PROTECT

Apply CPS Armor Stain Shield to make the floor more resistant to staining and easier to clean. Armor Stain Shield is a ready-to-use, silicone based, 100% penetrating sealer designed to line each individual pore of the concrete.



SHINE

For maximum shine, use a CPS Bling Pad to burnish the floor as the last step to create a high-gloss aesthetic. The 27" Bling Pad is a natural hogs hair pad coated in finely calibrated 8000 grit diamond resin specifically designed to burnish thin-mil sealers to a high gloss shine.

Our commitment to making life-long relationships is more than just a mission statement – it's our way of doing business. At CPS, we'll give you the tools you need to be successful and we'll support you every step of the way!

OUR MISSION

To build and maintain lifelong relationships with our clients through our commitment and dedication to provide superior support 24/7, through our knowledge of the craft of polished concrete, the quality of products we provide and cost saving solutions learned from years of experience.

WE CAN HELP YOU DO THIS

With more than a decade of research and development in the surface prep, decorative concrete, and polished concrete industry, Concrete Polishing Solutions is committed to sharing its vast knowledge of the craft with others like yourself.





Concrete Polishing Solutions
Machinery • Diamond Tooling
Cleaning & Maintenance • Truck Services
The Experience Is Your Advantage
562.494.8200
www.cpsusa.com



CPS
Concrete Polishing Solutions

THE CPS
XACT
POLISHED CONCRETE FLOOR SYSTEM

CONTACT CPS



184 Cedar Place
Norris, TN 37828



877.472.8200



www.go2cps.com



info@go2cps.com

